

I HAVE Zyw. oloon. Iridinc.ord



WHO IS ELBOWBUMPKID?

Elbowbumpkid Inc is a volunteer powered/community funded nonprofit.

Our mission is to provide families impacted with Type 1 Diabetes with the opportunity to connect, thrive, learn and grow despite the diagnosis. We subsidize education & community events, college programs, annual celebration cards, scholarship

grants and partnerships for local initiatives that support the TID community.

WHAT DOES EBK DO?


- Monthly events for families with TID/Celiac
- Mom's nights & caregiver programsNewly diagnosed support for non RX
 - items
- · Currently diagnosed support for non RX items
- · Support local programs & camps run by others
 - Program for newly diagnosed celiac that already have TID
 - · College scholarship & kit program
 - Community connections
 - Diaversary cards




WHAT IS TYPE 1 DIABETES?

Type I diabetes is a chronic autoimmune condition that makes the body's pancreas unable to produce insulin, a hormone that is necessary to live.


Since insulin is needed to control blood sugar levels in your body, a person with TID needs to get it in a different way.







TYPE 1 IS NOT PREVENTABLE OR CURABLE



It's **NOT** caused by diet or anything that the family did or didn't do.

It ISN'T contagious and you can be diagnosed with TID even if no one in your family has it.


Zy. oloowbumpkidinc.org



SIGNS AND SYMPTOMS OF TYPE 1 DIABETES:




- Increased Urination
 - Weight Loss
 - Exhaustion

















TYPE 1 IS DIFFERENT FOR EVERYONE

No person living with TID's diabetes management is the same. Families have different preferences for blood sugar testing & insulin delivery. There is no one size fits all.

DIFFERENT BUT THE SAME

OND UMPKIGING. OF 9



ISTHERE A LINK BETWEEN TID & CELIAC DISEASE?


Yes!
Approximately 6% of all TIDs will be diagnosed with celiac disease.

Ext. o/bowbumpkidinc.org



WHAT IS CELIAC DISEASE?

An autoimmune condition where consuming gluten (found in wheat, barley, and rye) triggers an immune response that Zyz. Obourt. Iridinc.ord damages the small





HOWIS CELIAC DISEASE DIAGNOSED?


Doctors order a **blood test** in order to screen for celiac disease antibodies. If these blood tests suggest that celiac disease may be present, there may be an endoscopic procedure with a biopsy of the intestinal ZZZ-OBOUZA -1/idinc.ord





HOWIS CELIAC DISEASE TREATED?

The ONLY treatment for celiac disease is a strict gluten-free diet, as even small amounts of gluten can cause serious Zyz. Obourt - Lidinc.ord intestinal damage.





WHAT ARE SYMPTOMS OF CELIAC DISEASE?


Diarrhea. Abdominal pain. Constipation. Swollen belly. Anemia. Fatigue. Weight loss. Bloating and gas. Headaches. Itchy, blistery skin rash. Joint pan-Joint pan-Joint pan-Joint pan-Nausea and vomiting.



ABOUT 83% OF PEOPLE WITH CELIAC DISEASE WILL GO UNDIAGNOSED OR BE WILL BE MISDIAGNOSED Zzz. eloon. - Lidinc.ord WITHOTHER CONDITIONS.



YOUR BODY MAY STILL HAVE SYMPTOMS AFTER STARTING A GLUTEN-FREE DIET. IT MAY TAKE A WHILE FOR YOUR BODY TO ADJUST. STAY IN William Milling Millin TOUCH WITH YOUR MEDICAL TEAM.





TYPE 1 AT SCHOOL

It's important for teachers & the school nurse to be aware of TID to help the student with safe blood sugars during school.

Typically there will be arrangements for PE, recess, meals nurse visits, field trips, academic testing and after school activities. The medical provider also will have some recommendations as well.



recomre



CELIAC AT SCHOOL

It's important for teachers & the school nurse to know there is a diagnosis of Celiac Disease to stay safe at school.

Typically there are parameters for safe food at meals, special Zyz, eloonic l'idinc.ord events & when food is involved in




WHAT CAN APERSON LIVING WITH TID EAT?



With parent's permission and taking insulin before the snack/meal.








GLUTEN-FREE FOODS OFTEN CONTAIN MORE CARBS


Many gluten-free products, especially processed ones, contain more sugar and carbohydrates to make up differen accurate on accurate for texture and flavor differences. Read labels for






WHY DO BLOOD SUGARS GO OUT OF RANGE?

Many different factors impact blood sugar, and many children react differently to the same exercise, snacks, and emotions. A normal blood beiw depending depending leidinc.ord sugar range is usually depending on age.











TREATING LOW VS HIGH BLOOD SUGARS




We need sugar/glucose (Glucose raises blood sugar)

HIGH BLOOD SUGAR

We need insulin (Insulin lowers blood sugar)











WHAT IF THE TID'S BLOOD SUGAR IS LOW?

They need a low blood sugar treatment like **juice or candy** immediately. The amount needed will depend on their blood sugar level.
(If really low, they may need an extra low blood sugar treatment.)

Do NOT leave a person with TID alone if they are low, stay with them until they recover!














COMMON LOW BLOOD SUGAR SYMPTOMS

- Fast heartbeat.
 - Shaking.
 - Sweating.
- Nervousness or anxiety.
- · Irritability or confusion.

Dizza • Hunger. • Hunger.










LOW BLOOD SUGAR SNACKS FOR A TID WITH CELIAC DISEASE?

Traditional options may contain gluten, so you'll need gluten-free alternatives such as gluten-free crackers, Standard Oring Original Cord glucose tablets, smarties








COMMON HIGH BLOOD SUGAR SYMPTOMS

- Extreme thirst
- Frequent urination
 - Blurred vision










WHAT IF THE TID'S BLOOD SUGAR IS HIGH?

They need insulin and hydration. Blood sugar should be monitored by CGM or finger prick to make sure it's going back in range to avoid DKA. They may be irritable, angry, need to drink and go to the bathroom more. That's normal patien back in back in cord with a high blood sugar










HOW DO TID'S GET INSULIN?

Since Type 1 diabetics don't make their own insulin, they have to <u>take</u> insulin.


A person with Type 1 may have an insulin pump attached to their body or give themselves **shots** before Morma.

Norma.

Iridinc.ord eating. This keeps them










UNTREATED TID OR HIGH BLOOD SUGARS CAN LEAD TO DKA

Untreated type 1 diabetes can be life-threatening and result in DKA (diabetic ketoacidosis). Signs of DKA are fruity-smelling breath, nausea, stomach pain, rapid breathing, confusion, and drowsiness.





UNTREATED CELIAC CAN INCREASE HYPOGLYCEMIA RISK

Untreated celiac can cause long-term damage to the small intestine, hindering your body's ability to absorb carbs, leading to unpredictable hypoglycemia. Get tested if exination symptom symp additional family members



GLUTEN EXPOSURE CAN AFFECT BG

If you accidentally consume gluten, it may be harder to absorb nutrients, potentially causing low blood sugar.

Monitor your Clos your doc. your doc.



DIFFERENCE BETWEEN TYPE 1 & TYPE 2

Type 1 diabetes (TID) is an incurable, autoimmune disease, not a lifestyle disease. Roughly 8.7 million people live with TID around the world. People with type 1 are insulin-dependent for life.

Type 2 diabetes (T2D) is a *metabolic* disease influenced by genetic, socioeconomic and lifestyle factors. Over the very use insuling through dies medication medication. 525 million people live with T2D around the world. The body can't properly use insulin & can often be treated



-T1D-WHAT CAN FRIENDS & FAMILY DO TO HELP?

- If the TID is acting funny or different than usual, ask if they checked their blood sugar.
- Keep low blood sugar snacks around at all times.
- Be patient & understanding.
- Kno. of a emergence emergence of a laiding.ord Know what to do in case









-CELIAC-WHAT CAN FRIENDS & FAMILY DO TO HELP?

Realize that not every restaurant will have a safe option. Offer several options to the celiac family so they can choose or tell them the type of food you want to celebrate with and they will help find a safe option!

Typically **safe** options:

Mexican BBQ

American style restaurants

Typically Plant Chinese/That Ch Typically **not safe** option <u>unless outlined...</u>



-CELIAC-WHAT CAN FRIENDS & FAMILY DO TO HELP?

- Talk to them in advance about cross contamination.
 - If not safe, bring a safe option, similar to what's being served.
- Offer to bring dessert & have celiac served first to avoid issues.

Education is important, most non celiac families don't realize the work that's involved to stay safe.

You are protecting your family by educating but realize some people will not understand or wish to comply.

Bringing your own food is the best way to stay safe in those scenarios.



IS FAMILY AT RISK FOR TYPE 1?

Depending on relationship, family should screen for Type 1 as you can delay the onset if you know in advance that you have it.


More information:



ZZZZ-O/BOUNT - Izidinc.ord



IS FAMILY AT RISK FOR CELIAC?




You have a 10% chance of developing celiac disease if a first degree relative has been diagnosed.

ZZZZ-OBOWbumpkidinc.org



A TID MAKES EXTRA DECISIONS EVERY DAY THAT NON-TID'S DON'T THINK ABOUT.



If they are stressed or sick they need to manage differently.

It's a lot of thinking and it doesn't discriminate by age, even the littlest kids have work to do every day to stay safe.





A PERSON LIVING WITH CELIAC MAKES EXTRA DECISIONS EVERY DAY


In addition to carbohydrate counting, they must make sure that every food item is safe. They also need to consider Zy cros-leidinc.ord hygiene products, medicine and all cross contamination possibilities.





GLUTEN CAN
HIDE IN MANY
PRODUCTS....

including sauces, dressings, processed foods, medications, and even beauty products!



Ext. evolution or 9



CROSS-CONTAMINATION IS A REAL RISK

Even the smallest bit of gluten exposure through cross-contamination can trigger a flare-up. Use separate utensils, cutting boards, and toasters, separation contamination of the separation of th and store gluten-free food separately to avoid cross-



DINING OUT REQUIRES RESEARCH

Always ask if food is prepared in a dedicated allergy section of the restaurant & if precautions are taken. If they aren't cross-contamination may Sez choose choos occur and you should choose a different restaurant.





WHERE TO SHOP

Most grocery stores have a gluten free section, while some have GF options near gluten options.

Reference our grocery tips brochure for helpful hints!

NEW ENGLAND GROCERY STORE GUIDE	
STORE	WHERE ARE GF ITEMS?
Wegmans	Several GF aisles typically in middle of store including a separate GF freezer section. Look for Bella Lucia GF Pizzelles
Stop & Shop	There's a GF aisle where they group specialty GF brands together & a GF section in most aisles where you would find regular brands with GF options like Barilla Pasta. Separate GF freezer section.
Price Chopper	GF items are mixed in with regular items in every aisle, there is no GF segmentation anywhere.
Shop Rite	GF broken out in regular aisles but no separate GF aisle. Lots of baking mix varieties.
Trader Joe's	GF items mixed in with regular items. Look for their GF muffins!
Whole Foods	GF items mixed in with regular items. They have GF of their house brand like waffles, tons of options here!
Aldi	Their live Gfree brand has standards like baking items througout the year but during May & holidays they have specialty items as well.
Walmart	Supercenters typically have many GF options in the corner of a regular aisle.
	Big Y has a nice GF section but also GF items mixed in with

Big Y





Avoid products whose ingredients include wheat, rye, barley, malt, or non gluten free oats which are common

sources of gluten.

Look for gluten free & certified gluten free labels & check the allergen listing!





GLUTEN FREE ALTERNATIVES

There are gluten free alternatives to many of your favorite foods

(check our celiac resource guide or other online resources)

· many options including Shcar, Bread Canyon Bakehouse and Udis

Goldfish • MadeGood crackers

Cookies • GF Oreos/Chips Ahoy

Baking · King Arthur GF, Cup4cup

Baking Chicken Purch Cereal · GF Chex



CELIAC DIET & GLUTEN-FREE DIET ARE NOT THE SAME

While some who choose gluten-free diets can tolerate cross-contamination, those with celiac disease cannot, essen serious he risks. making self-advocacy




IF YOU ACCIDENTALLY CONSUME GLUTEN

GLUTEN EXPOSURE SYMPTOMS VARY

from digestive issues like bloating and diarrhea to fatigue and brain fog.

- Rest and take it easy.
 - Stay hydrated.
- Closely monitor your blood sugar.




healthcare healthcare



THESE FOODS ARE NATURALLY GLUTEN FREE

- Fresh fruits & Vegetables
 - Plain (unseasoned) meat, poultry, & fish
- Most milk, cheese, & yogurts
 - Unseasoned rice & quinoa
- nuts,
 Potatoes

 Potatoes • Unflavored beans,





THESE ITEMS CAN TRAP GLUTEN

& should be **replaced** after celiac diagnosis.

Toaster/Toaster Oven

Cutting Boards

Strainers, sifters, or colanders

Sponges

Wooden or Plastic Utensils

All Ban.
Nonstick Parallel All Ban.
Nonstick Par •Some personal hygiene products




THESE ITEMS CAN TRAP GLUTEN

& should be cleaned thoroughly after celiac diagnosis.

- Stand Mixer
- Air Fryer (may need to replace)
 - Oven
- Non plastic Dishes/silverware

Clean pans no crussion cord Clean pantry, cabinets & fridge-






WHEN TRAVELING...

• Research your destination's local GF options ahead of time!

 If international travel learn key phrases in the local language to explain your dietary restrictions & bring a translation card.

• Always carry gluten-free snacks and glucose for emergencies!





WHEN TRAVELING...

· Bring food/snacks on long plane rides, it's unlikely they will have gluten free options.

· Always bring diabetes supplies in carry on, do not check them.

• Upon arrival stop at a local supermarket to have items on hand for low blood sugar and in between meal snacks



FIND ME GLUTEN FREE & GLUTEN DUDE

are apps that help find restaurants with gluten-free-friendly options nearby. Use them when traveling and add feedback on the places you visit!

Ext. oboumpkidinc.org



RESOURCES TO LEARN MORE ABOUT TID



Beyond Type 1 New Patient Resource Guide

Breakthrough TID Resource Guide









This information should not be considered medical advice, nor is it intended to replace consultation with your healthcare provider. If you have questions about your health, please contact your healthcare provider.

© Copyright 2025 Elbowbumpkid Inc, do not redistribute or modify without





Keep in Touch!

Follow us: Facebook.com/elbowbumpkid https://www.instagram.com/elbowbumpkid_inc/

Sign up for our monthly newsletter: https://www.elbowbumpkidinc.org/

<u>Contact:</u>
hello@elbowbumpkidinc.org

Tell T1D families to connect with us!

Ex. elboubumpkidinc.org